



HEAVY DUTY PULL TIGHT SEAL (HPT) - 15 INCH



COMMON APPLICATIONS

Trailer doors, Bulk tankers, Railroad cars, Storage cabinets, Totes, Storage boxes, Cabinets, Narcotics boxes, Drums, Gates, Hopper cars, Cash in transit cassettes, Chemical containers.




















PRODUCT NAME: Heavy duty pull tight seal (HPT) - 15 inch	
STOCK ITEM	Yes
STOCK COLORS	
STOCK ON HAND	Various lengths. Please check with customer service agent
DESCRIPTION	This seal's proprietary and engineering technology, allows it to have a unique and thinner diameter, that is actually 40% stronger than similar industry alternatives. The combination of increased strength and a thinner diameter is a critical benefit when securing items that require a seal to fit through small apertures. This adjustable length seal is Cambridge's flagship product.

FEATURES & BENEFITS	
Plastic, self locking with beaded tail	User friendly & quick to apply
High breaking strain	Robust, multi-purpose
Acetal locking chamber	Increased security & tamper resistance
Adjustable length	Versatility
Narrow tail	Fits through small apertures but surprisingly strong
REMOVAL	Snipping tool or by hand

NOW AVAILABLE WITH A-MVB®

A-MVB® Security Seals, or Antimicrobial Viricide Material Infused Security Seals, are tamper-evident seals infused with a proprietary blend of additives that include an ionic-silver-based formula that targets, repels, and deactivates or eliminates the metabolic and reproductive capacity of virus-hosting bacteria, as well as other microorganisms such as molds, fungi, and algae.



TECHNICAL DATA		
MATERIAL (BODY)	HDPE	
MATERIAL (LOCKING CHAMBER)	Acetal	
OPTIMUM STORAGE	Boxed, indoors at ambient temperature 70F	
TOTAL LENGTH	15"	
WITH EXTENDED TAB	16"	
OPERATIONAL LENGTH	12"	
TAIL DIAMETER	0.15"	
TENSILE STRENGTH	49 - 54.9lbs	
COLORS AVAILABLE	 RED - Pantone 186C	 YELLOW - Pantone 7409C
	 BLUE - Pantone 2728C <i>This color does not give a consistent barcode scan. Please consider a different color.</i>	 GREEN - Pantone 3425C <i>This color does not give a consistent barcode scan. Please consider a different color.</i>
	 BLACK - Pantone N/A	 ORANGE - Pantone 1655C
	 WHITE - N/A	 MEDIUM BLUE - Pantone 2727C
	 NEON GREEN - Pantone 802C <i>This color does not give a consistent barcode scan. Please consider a different color.</i>	 NEON ORANGE - Pantone 803C
	 NEON YELLOW - Pantone 809C	 NEON PINK - Pantone 806C
	 PASTEL YELLOW - Pantone 616C	 PASTEL ORANGE - Pantone 157C
	 PASTEL GREEN - Pantone 2253C	 LIGHT BLUE - Pantone 543C
	 BRIGHT YELLOW - Pantone 458C	 PASTEL PINK - Pantone Magenta 0521C
	 LIGHT PURPLE - Pantone 2567C	
MOQ'S FOR SPECIAL COLORS	Neon 10,000 Pastel 10,000 Other colors 50,000 Special foil colors 50,000 NOTE: We use standard pantone colors to define our color range. Computer monitors and printers are not calibrated equally so variation in color evaluation or perception may vary and the actual color of the product may vary from the pantone color due to the application of color in the plastic. If it is important that color is exact, please request a sample from us, before placing your order. Check www.pantone.com for exact color shades.	
PRINTING & MARKING	Laser / hot stamp	
CUSTOMIZATION	Name / logo	
INHOUSE DESIGN	Our inhouse design capability ensures best quality print design and optimum logo positioning. *Let us see your artwork and we will decide on optimum placement.	
HOT STAMPING	Once-off die charges apply	
NUMBERING	Sequential numbering	
MAXIMUM NUMBER OF CHARACTERS	8	
BARCODE	Barcode only produced with laser marking. Please refer to our barcode scanning guide attached.	



TECHNICAL DATA CONTINUED

OPTIMUM COLORS - BARCODE	White and pastel shades are recommended
MOQ TO CUSTOM MARK	3,000
CUSTOMIZATION OPTIONS	Length options (9, 12, 15 and 18"), color, custom foil color, customer name, logo, barcoding, numbering, print positioning, extended tab
MATERIAL GRADE	Virgin or recycled material. Virgin HDPE is food grade compliant.

PACKAGING

PACKAGING, BAGGING & LABELLING	Custom packaging & labelling for high volume orders, at additional cost
PACKING	10 seals / mat, 1,000 seals / box
BOX WEIGHT	11lbs
BOX DIMENSIONS	18 x 13 x13"
BOXES PER PALLET	40
LEAD TIME STOCK	3 business days
LEAD TIME CUSTOM	Please engage with customer service as this depends on production schedules at time of ordering

